


# Galaxy

Amaranth  
G683\*




Aracibo  
G670



Atlantic  
G666\*



Bandon  
G640



Bride  
G660\*



Calder  
G650\*



Chilli  
G607\*



Cloud  
G617\*



Congo  
G641\*




Cornflower  
G602



Cream  
G648



Damson  
G646\*




Denim  
G601




Diablo  
G669\*



Finch  
G677\*




Fire  
G644\*



Fusion  
G678\*



Graphite  
G619\*



Heather  
G611\*



Hudson  
G663




Humber  
G643\*




Irwell  
G647\*



Jade  
G615\*




Kingfisher  
G613\*



Lagoon  
G604\*




Laurel  
G612\*




Leven  
G649




Lilac  
G603



Medway  
G657\*




Mersey  
G651




Midnight  
G610\*



Nene  
G645




Nile  
G656\*




Onyx  
G620\*



Oxygen  
G679\*



Pimento  
G671\*




Royal  
G605\*




Rum  
G668



Seine  
G658




Sky  
G655



Slip  
G667




Sorbet  
G682\*



Stone  
G652



Tigris  
G654



Trinity  
G662\*



Violet  
G609\*



White  
G672



Zinc  
G618



**Application:**

Office Screens and Vertical Surfaces

**Composition:**

100% Polyester

**Width:**

168cm / 66" Tolerance  $\pm 2\%$

**Weight:**

270gms/m<sup>2</sup> Tolerance  $\pm 5\%$

**Abrasion:**

Tested in accordance with BS 5690: 1999 as modified by Annex F of BS 2543: 2004 to 50,000 rubs Martindale.

**Flame Retardancy:**

Vertical Surface test. BS 476 Part 7 Class 1. BS EN 1021 - 1&2: 1994 BS 5852 (passes cigarette and match)

Note: Flamability performance is dependent on components used.

**Light Fastness:**

6+ (ISO 105 – B02:1999)

**Colour Matching:**

Batch by batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting.

**Availability:**

Generally ex-stock.

**Product development:**

We reserve the right to change the specifications of our products in line with our product development programme without notice.

**Fabric care and maintenance:**

Please refer to our fabric care guide.

**Guarantee:**

Fabric guaranteed for 5 years under normal wear and tear. See our Terms and Conditions

\* Co-ordinating colours are available for seating within our Omega Plus range.