



# Blenheim Check


Aphid  
752




Britannia  
743




Cadillac  
753




Eggplant  
741



Houston  
742



Shadow  
738



Tuscan  
739



**Application:**

Hard wearing upholstery fabric, particularly suited for soft seating in heavy use areas such as schools, universities, offices and contract environments

**Composition:**

90% Wool, 10% Nylon

**Width:**

140 cm +2% usable

**Weight:**

520 gms/m<sup>2</sup> (730 gms/linear m)

**Abrasion:**

BS EN ISO 5470 -2 : 2003 Method 1 170,000 Rubs

**Flame Retardancy:**

BS 7176 : 2007 Low Hazard

BS EN 1021 - 1 : 2006 (Cigarette)

BS EN 1021 - 2 : 2006 (Match)

Note: Flammability performance is dependent on foam used

**Additional Zirpro treatment required, please specify when ordering**

BS 7176 : 2007 Medium Hazard

BS 5852 : Section 4 Ignition Source 5

**Teflon Treated:**

**Superior stain resistance and water repellancy with inherent Teflon treatment**

**Light Fastness:**

BS EN ISO 105 - BO2 : Method 3 to Standard - 4

**Fastness to Rubbing Wet & Dry:**

BS EN ISO 105 - X12 : 2002 - 4

**Colour Matching:**

Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting

**Product Development:**

We reserve the right to change the specification of our products in line with our product development programme without notice

**Fabric Care and Maintenance:**

Vacuum regularly, professionally dry clean or wipe clean with a damp cloth

**Availability:**

Generally ex-stock

**Technical Assistance:**

Our technical staff will be pleased to offer advice on F.R and other technical matters

**Guarantee:**

Fabric guaranteed for 5 years under normal wear and tear. See our Terms and Conditions

\* Please note that for each of these Blenheim Check shades there is a corresponding colour available in the plain Blenheim range.

Other colours can be produced, subject to minimum production, please contact sales office for details.